PCRs included in Revision 1 of EHB 6-502

PCR#	AFTO 22#	ECP#	Para/Table/Fig#	Description
01-0159			TOC, Page II-001	Change FOREWARD to FOREWORD
02-0053			Numerous	Numerous changes as a result of re-designat- ing some TPMS WUCs and addition of some new WUCs

NSN: EHB6-502-C-01

ASN: XEHB-6-502-C-01

DESCRIPTION: NWS EHB 6-502,

Change 1 - Technical

Manual - Work Unit

Code

DATE OF ISSUE: 15 March 2002

QUANTITY OF ISSUE: Each

NWS EHB 6-502 AF TO 31P1-4-108-06 FAA TI 6345.1 V3 EM 400-AC-WUC-010

REVISION 1

TECHNICAL MANUAL

WORK UNIT CODE

DOPPLER
METEOROLOGICAL RADAR
WSR-88D



PARAMAX CORPORATION CONTRACT 50-DMNW-8-00032

 $\underline{\text{Distribution Statement A}} \text{ - Approved for public release; distribution is unlimited.}$

PUBLISHED UNDER AUTHORITY OF THE SECRETARIES OF COMMERCE, THE AIR FORCE, THE NAVY, AND TRANSPORTATION

01 NOVEMBER 2001 CHANGE 1 - 15 MARCH 2002

LIST OF EFFECTIVE PAGES

INSERT LATEST CHANGED PAGES, DESTROY SUPERCEDED PAGES

NOTE: The portion of the text affected by the changes is indicated by a vertical line in the outer margins of the page. Minor changes to illustrations are indicated by a miniature pointing hand. Extensive illustration changes and new illustrations do not have the miniature pointing hand.

Dates of issue for original and changed pages are:

TOTAL NUMBER OF PAGES IN THIS MANUAL IS 80 CONSISTING OF THE FOLLOWING:

Page	*Change
No.	No.
Cover Page	
Title Page	
A - B	. 1
C blank	. 1
I-001	. 1
I-002 blank	. 1
II-001	. 1
II-002 - II-004	. 0
III-001 - III-003	. 0
III-004 blank	. 0
IV-001 - IV-010	. 0
V-001	. 0
V-002 blank	. 0
VI-001 - VI-002	. 0
VII-001 - VII-002	. 0
VIII-001	. 0
VIII-002 blank	
IX-001 - IX-002	. 0
X-001 - X-002	. 0
XI-001	. 0
XI-002 blank	

^{*} Zero in this column indicates an original page.

LIST OF EFFECTIVE PAGES DESTROY SUPERCEDED PAGES,

Page No.	*Change <u>No.</u>
01-001 - 01-003 01-004 blank 03-001 03-002 blank 04-001 04-002 blank 05-001 05-002 blank AA-001 AA-002 - AA-0030 AB-001 AB-002	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1

* Zero in this column indicates an original page.

B / C blank

	TABLE OF CONTENTS	
TAI	BLE OF CONTENTS	I-001
FOI	REWORD	II-001
	PE MAINTENANCE CODES ound CEM)	III-001
AC'	TION TAKEN CODES	IV-001
WH	IEN DISCOVERED CODES	V-001
AV]	W MALFUNCTIONED CODES IONICS/ELECTRICAL/COMPUTER phabetic Sequence)	VI-001
PH	W MALFUNCTIONED CODES YSICAL/MECHANICAL phabetic Sequence)	VII-001
HO NO	W MALFUNCTIONED CODES DEFECT (Alphabetic Sequence)	VIII-001
AV]	W MALFUNCTIONED CODES IONICS/ELECTRICAL/ MPUTER (Numeric Sequence)	IX-001
PH	W MALFUNCTIONED CODES YSICAL/MECHANICAL Imeric Sequence)	X-001
HO NO	W MALFUNCTIONED CODES DEFECT (Numeric Sequence)	XI-001
SUI	PPORT GENERAL CODES	01-001
	OK PHASE OF SCHEDULED SPECTIONS	03-001
	OK PHASE OF C-E SPECIAL SPECTIONS	04-001
	IQUE DATA CODES FOR INTENANCE COST SYSTEM	05-001
DO	ORK UNIT CODES - WSR-88D PPLER METEOROLOGICAL DAR	AA-001
WC SUI	ORK UNIT CODES - WSR-88D PPORT EQUIPMENT	AB-001

FOREWORD

1. GENERAL

This work unit code manual should only be used for reporting maintenance actions on equipment which is part of the WSR-88D Doppler Meteorological Radar. Complete details on the use of the codes contained in this manual are prescribed in AFPD 21-1, AFI 21-116, and TO 00-20-2.

2. USE OF CODES

It is necessary to use codes for recording maintenance actions in order to convert this information into language for translation by the regional central main frame computer. Maintenance technicians have access to their regional central main frame computer to use the Core Automated Maintenance System (CAMS) or the Integrated Maintenance Data System (IMDS) to document scheduled and unscheduled maintenance actions, whether it be for on-equipment or off-equipment. If access to CAMS/IMDS is not available, the maintenance actions should be recorded on maintenance forms for entry at a later date. The maintenance documentation system provides managers with timely, complete, accurate maintenance production data reports to facilitate effective planning, control, analysis and determining deficient material/equipment, facilities, or procedures. It is very important that all codes entered directly in CAMS/IMDS or clearly written on maintenance forms for later entry, be accurate. The reports produced are significant only if the codes are accurate.

Work Unit Code. This code consists of five alphabetic and numeric characters and is used to identify the system, sub-system, and component which was worked on. For items Not Otherwise Coded, the abbreviation NOC is used. The number 9 is used in the fourth and/or fifth characters of the work unit code followed by the abbreviation NOC and should only be used when an item does not have a specific work unit code assigned. Items identified by an asterisk between the work unit code and the code definition require special documentation per TO 00-20 series technical orders. These items include serially controlled Reliability Improvement Warranty (RIW) or Time Change Items. The Time Change Items are further identified by the abbreviation (TCI) following the item definition.

This manual has been prepared in two sections. Section I contains work unit codes for the Radar. Section II contains work unit codes for Support Equipment (SE) peculiar to the equipment listed in Section I. The Type Maintenance, Action Taken, When Discovered, How Malfunctioned, and Support General Codes are contained in Section I of this manual.

- 2.2. <u>Unique Data Codes for Maintenance Cost</u>
 <u>System (MCS</u>). This code consists of five alphabetic or numeric characters, and is used to identify direct labor man-hours expended in other than direct labor, i.e., Alert Duty, Detail, Leave, Training, etc.
- 2.3. <u>Type Maintenance Code</u>. This code consists of one alphabetic character and identifies the type of maintenance being performed, i.e., scheduled or unscheduled maintenance.

2.4. <u>Action Taken Code</u>. This code consists of one alphabetic or numeric character and identifies what work was done, i.e., removed, replaced.

NOTE

Collectively, the Work Unit Code and the Action Taken Code identify a "unit of work" as defined in TO 00-20-2.


- 2.5. When Discovered Code. This code consists of one alphabetic or numeric character, and is used to describe at what time a discrepancy was discovered.
- 2.6. <u>How Malfunctioned Code</u>. This code consists of three numeric characters, and is used to describe the equipment malfunction.
- 2.7. <u>Support General Code</u>. Support general codes are for recording production credit of repetitive tasks of a general nature, and are not to be used for recording malfunctions, repair, NRTS, or condemnation actions.

3. WORK UNIT CODE CONSTRUCTION AND APPLICATION

The primary purpose of work unit codes is to identify the hardware on which work was accomplished, and the relationship of hardware within a major assembly, subassembly, etc. The first two portions of the work unit code are assigned and controlled by the acquiring activity to identify the end item of equipment. The third and fourth characters include major assemblies and subassemblies, and identify first and second levels of assembly. The fifth position of the work unit code includes repairable/recoverable components and identifies the lowest level of assembly below the end item.

Each work unit code in the equipment reflects adequate information to properly identify all levels of assembly, and includes the basic noun for each individual item that is coded. Part numbers and reference designations are used to further identify equipment.

Example:



4. SECURITY

When maintenance is being performed on classified equipment, the listing of a work unit code could possibly lead to a breach of security, such as betraying mission capability. Extreme caution should be exercised, and if any questions exist, it will be resolved according to AFI 31-401 and other applicable directives.

5. CHANGES TO CODES

- 5.1 System Codes. The system codes in this manual are standard throughout the Air Force and will only be revised by official publication. Recommended changes to this manual regarding its use, format, procedures, or the Action Taken, When Discovered, How Malfunctioned, or Support General Codes will be submitted through command channels.
- 5.2 <u>Changes</u>. Recommended changes to Work Unit Codes or equipment listings in this manual shall be submitted on AFTO Form 22, in accordance with T0 00-5-1 to the following address:

OO-ALC/TIEDT 6042 FIR AVE (BLDG 1236) HILL AFB, UT 84056-5820

TYPE MAINTENANCE CODES (Ground CEM)

NOTE

Refer to TO 00-20-2 for off-equipment shop Type Maintenance codes.

CODE DESCRIPTION

A SERVICE

Includes all units of work associated with servicing, cleaning, and movement of equipment.

B UNSCHEDULED MAINTENANCE

Includes all units of work accomplished between scheduled inspections. Does not include the "Look" and "Fix" phase of inspections, or work covered by Type Maintenance Codes R or T. This code includes repair/calibration of items or equipment between scheduled calibration intervals.

F DAILY/SHIFT/PHASE/PERIODIC

Includes all units of work accomplished during daily/shift/phase/periodic inspections. This code will be used on both the "Look" phase of the inspection and on all "Fix" phase documents generated for correction of deficiencies noted during the inspection.

NOTE

Accomplishment of unscheduled inspection actions performed as part of a repair will be considered part of the total repair action, i.e., Action Taken Code F, G, etc.

H EMERGENCY ON-SITE REPAIR

Includes all units of work authorized and accomplished as a result of an emergency request for assistance. Applicable to all levels of maintenance performed by AFCA Engineering and Installation Teams and organizational and intermediate maintenance performed by AFMC Mobile Depot Activity (MDA) teams. Excludes accomplishment of TCTOs.

J SCHEDULED CALIBRATION OF EQUIPMENT OR COMPONENTS

Includes all units of work accomplished concurrently with a scheduled calibration.

P SCHEDULED MAINTENANCE

Includes all scheduled work accomplished between scheduled inspections, such as periodic scheduling of equipment through shops. Excludes the "Look" and "Fix" phase of scheduling inspections, or work outlined in other type maintenance codes.

R DEPOT MAINTENANCE

Includes all units of work accomplished when depot maintenance or rehabilitation is performed, regardless of location. This includes emergency on-site repair involving depot level maintenance by AFMC personnel. Excludes accomplishment of TCTOs.

S SPECIAL INSPECTION

Includes all units of work accomplished during all phases of special inspections. This code will also be used for all separate "Fix" and "Repair" documents generated for the correction of deficiencies noted during the special inspection. Excludes accomplishment of TCTOs.

T TIME COMPLIANCE TECHNICAL ORDER (TCTO)

Includes accomplishment of all TCTOs.

Z TIME COMPLIANCE TECHNICAL ORDER (TCTO) COMPUTER GENERATED:

Enables distinction between TCTO transactions processed within CAMS/IMDS and passed to standard MDCS for daily/monthly processing where both systems operate on same base.

ACTION TAKEN CODES

CODE DESCRIPTION

A BENCH CHECKED AND REPAIRED

Bench check and repair of any one item is accomplished at the same time (also see code F).

B BENCH CHECKED -SERVICEABLE (NO REPAIR REQUIRED)

This code will be entered when it is definitely determined that the discrepancy does not exist or cannot be replicated. Must be used with How Malfunction Code 672, 799, 812, or 948.

C BENCH CHECKED - REPAIR DEFERRED

Bench check is accomplished and repair action is deferred (see code F).

D BENCH CHECKED -TRANSFERRED TO ANOTHER BASE OR UNIT

Item is bench checked at a forward operating base, dispersed operating base, or enroute base and is found unserviceable and transferred to a main operating base or home base for repair. Not used for items returned to depot for overhaul. Used also for precision measuring equipment (PME) or other equipment sent to another base/unit for bench check, calibration, or repair and is to be returned and for items forwarded to contractors on base level contracts.

E INITIAL INSTALLATION

For installation actions that are not related to a previous removal action such as installation of additional equipment or installation of an item to remedy a ship-short condition. This code will be used only for Reliability Improvement Warranty (RIW) items and for equipment managed under the Advanced Configuration Management System (ACMS). Reference TO 00-20-2. Must be used with HOW MAL Code 799.

F REPAIR

Not to be used to code "On-Equipment" work if another code will apply. When it is used in a shop environment, this code will denote repair as a separate unit of work after a bench check. Shop repair includes the total repair man-hours and includes cleaning, disassembly, inspection, adjustment, reassembly and lubrication of minor components incident to the repair when these services are performed by the same workcenter. For precision measuring equipment, this code will be used only when calibration of the repaired item is required (see code G).

G REPAIRS AND/OR
REPLACEMENT OF MINOR
PARTS, HARDWARE, AND
SOFTGOODS (SEALS, GASKETS,
ELECTRICAL CONNECTORS,
FITTINGS, TUBING, HOSE,
WIRING, FASTENERS,
VIBRATION ISOLATORS,
BRACKETS, ETC.)

Work unit codes do not cover most non-repairable items. Therefore, when items such as those identified above are repaired or replaced, this action taken code will be used. When this action taken code is used, the work unit code will identify the assembly being serviced or most directly related to parts being repaired or replaced. For example, if an electrical connector was repaired and was attached to a radio transmitter, the work unit code for the transmitter would be used with this action taken code. For precision measuring equipment (PME), this code will be used for minor repairs on PME that was within T.O. tolerance when received by the performing workcenter.

H EQUIPMENT CHECKED - NO REPAIR REQUIRED (FOR "ON-EQUIPMENT" WORK ONLY)

For all discrepancies that are checked and found to require no further maintenance action. This code will be used only if it is definitely determined that a reported deficiency does not exists or cannot be duplicated. Must be used with HOW MAL Codes 672, 799, 812, or 948.

J CALIBRATED - NO ADJUSTMENT REQUIRED

Use this code when an item is calibrated and found serviceable without need for adjustment, or is found to be in tolerance but is adjusted merely to peak or maximize the reading. If the item requires adjustment to actually meet calibration standards or to bring in tolerance, use code K.

K CALIBRATED - ADJUSTMENT REQUIRED

Item may be adjusted to bring it in tolerance or meet calibration standards. If the item was repaired or needs repair in addition to calibration and adjustment, use code F.

L ADJUST

Includes adjustments necessary for safety and proper functioning of equipment such as adjust, bleed, balance, rig, fit, reroute, seat/reseat, position/reposition, program/reprogram, or actuating reset button, switch, or circuit breaker. For use when a discrepancy or condition is corrected by these types of actions. If the identified component or assembly also requires replacement of bits and pieces as well as adjustment, enter the appropriate repair Action Taken Code instead of L.

M DISASSEMBLE

Disassembly action when the complete maintenance job is broken into parts and reported as such. Do not use for on-equipment work.

N ASSEMBLE

Assembly action when the complete maintenance job is broken into parts and reported as such. Do not use for on-equipment work.

P REMOVED

Item is removed and only the removal is to be accounted for. In this instance, delayed or additional actions will be accounted for separately (also see codes Q, R, S, T, and U). Do not use for off-equipment work except to document the removal and/or replacement of serially controlled subassemblies from their next higher assembly.

Q INSTALLED

Item is installed and only the installation action is to be accounted for (also see codes E, P, R, S, T, and U). Do not use for off-equipment work except to document the removal and/or replacement of serially controlled subassemblies from their next higher assembly.

R REMOVE AND REPLACE

Item is removed and another like item is installed (see codes T and U) and removal and/or replacement of serially controlled subassemblies from their next higher assembly. Do not use for off-equipment work.

S REMOVE AND REINSTALL

Item is removed and the same item reinstalled (see codes T and U). Do not use for off-equipment work. Must be used with HOW MAL Codes 800, 804, and 805.

T REMOVED FOR CANNIBALIZATION

A component is cannibalized. The work unit code will identify the component being cannibalized. Do not use this code for off-equipment work. Must be used with HOW MAL Code 799 or 875.

U REPLACED AFTER CANNIBALIZATION

This code will be entered when a component is replaced after cannibalization. Do not use this code for off-equipment work. Must be used with HOW MAL Code 799 or 875.

V CLEAN

Cleaning is accomplished to correct discrepancy and/or cleaning is not accounted for as part of a repair action such as code F. Includes washing, acid bath, buffing, sand blasting, degreasing, decontamination, etc. Cleaning and washing of complete items such as ground equipment vehicles, missiles or airplanes should be recorded by utilizing support general codes.

W NON-DESTRUCTIVE INSPECTION

X TEST-INSPECTION-SERVICE

Item is tested, inspected, or serviced (other than bench check) and no repair is required. This code does not include servicing or used when documenting time against a reported discrepancy identifying a test, inspect or service toward a WUC item for onand off-equipment maintenance which is unrelated to a Could Not Duplicate (CND) action. Will be used when a reported discrepancy identifying a deficiency toward a work unit code item is identified to be "Within Limits", with the appropriate no defect How Malfunction code. Will be used to document operational checks performed separately after a maintenance action in the same Job Control Number which is unrelated to a CND action. Will be used when testing items received from supply.

Y TROUBLESHOOT

Time expended in locating a discrepancy is great enough to warrant separating the troubleshoot time from the repair time. Use of this code necessitates completion of two separate forms (one for the troubleshoot phase and one for the repair phase). When recording the troubleshoot time separate from the repair time, the total time taken to isolate the primary cause of the discrepancy should be recorded utilizing the work unit code of the defective item or assembly. If the discrepancy was not isolated, the subsystem or system work unit code should be used. Do not use for offequipment work.

Z CORROSION TREATMENT

Includes cleaning, treating, priming, and painting of corroded or repaired components and deteriorated coatings. This code should always be used when actually treating corroded items or those with deteriorated paint. The item that is corroded or has damaged paint will be identified by the work unit code (also see support general code 09000).

0 BENCH CHECKED - NOT REPAIRABLE THIS STATION-(NRTS)-WARRANTY ITEM

Repair not authorized, item under warranty.

1 BENCH CHECKED-NRTS-REPAIR NOT AUTHORIZED

Shop is not authorized to accomplish the repair. This code shall only be used when the repair required to return an item to serviceable status is specifically prohibited by current technical directives. This code shall not be used due to lack of authority for equipment, tools, facilities, skills, parts, or technical data.

2 BENCH CHECKED-NRTS-LACK OF EQUIPMENT, TOOLS, OR FACILITIES

Repair authorized, but cannot be accomplished due to lack of equipment, tools, or facilities. This code shall be used without regard as to whether the equipment, tools, or facilities are authorized or unauthorized.

3 BENCH CHECKED-NRTS-DUE TO LEAN LOGISTICS POLICY

Repair could not be accomplished due to parts non-availability within the time limit imposed by Lean Logistics Policy.

4 BENCH CHECKED-NRTS-LACK OF PARTS

Parts are not available to accomplish repair.

5 BENCH CHECKED-NRTS-SHOP BACKLOG

Repair cannot be accomplished due to excessive shop backlog.

6 BENCH CHECKED-NRTS-LACK OF TECHNICAL DATA

Repair cannot be accomplished due to lack of maintenance manuals, drawings, etc., which describe detailed repair procedures and requirements.

7 BENCH CHECKED-NRTS-LACK OF EQUIPMENT, TOOLS, FACILITIES, SKILLS, PARTS, OR TECHNICAL DATA

Repair authorized but cannot be accomplished due to lack of authorization to obtain or possess required equipment, tools, facilities, skills, parts, or technical data.

8 BENCH CHECKED - RETURN TO DEPOT

Returned to depot by direction of System Manager (SM) or Item Manager (IM). Use only when items that are authorized for base level repair are directed to be returned to depot facilities by specific written or verbal communication from the IM or SM, or when items are to be returned to depot facilities for modification in accordance with a Time Compliance Technical Order (TCTO), or as Material Deficiency Report (MDR) exhibits. The AFTO Form 350, Block 15, will be annotated to identify ALC and name of individual (IM/SM) who verbally authorized the return or other media of authorization (including phone number, if applicable).

9 BENCH CHECKED -CONDEMNED

Item cannot be repaired and is to be processed for condemnation, reclamation, or salvage. This code will also be used when a "Condemned" condition is discovered during field maintenance, disassembly, or repair.

WHEN DISCOVERED CODES

WILL DISCOVERED CODES		
CODE	<u>DESCRIPTION</u>	
C	During equipment operation/caused equipment down time.	
D	During equipment operation/did not cause equipment down time.	
\mathbf{F}	During unscheduled maintenance.	
Н	During scheduled C-E maintenance/ inspection, phase or periodic (does not include daily/shift).	
J	During daily inspection/shift verification.	
L	During training or maintenance on equipment utilized in a training environment (use only for Class II training equipment). This code should be used when recording maintenance or discrepancies on Class II trainers.	
P	During operational systems check.	
Q	Special inspection.	
R	Quality control check.	
\mathbf{S}	Depot level maintenance.	
T	During scheduled calibration.	
U	Non-destructive inspection; includes optical, penetrant, magnetic particle, radiographic, eddy current, ultrasonic, spectrometric oil analysis, etc.	
V	During unscheduled calibration.	
W	In-shop repair and/or disassembly for maintenance.	
Y	Upon receipt or withdrawal from supply stocks.	
Z	During initial equipment installation.	

HOW MALFUNCTIONED CODES AVIONICS/ELECTRICAL/COMPUTER (Alphabetic Sequence)

CODE	<u>DESCRIPTION</u>
652	Align Time Excessive
103	Attack Display Incorrect
627	Attenuation Incorrect
693	Audio Faulty
672	Built-in Test (BIT) False Alarm
644	Built-in Test (BIT) Indicated Fault
080	Burned Out or Defective Lamp, Meter
	or Indicating Device
969	Cannot Resonate Input Cavity
025	Capacitance Incorrect
956	Computer Equipment Malfunction
949	Computer Memory Error/Defect
028	Conductance Incorrect
029	Current Incorrect
943	Data Error
657	Distance Measurement Error
974	Does Not Track Tuning Curve
242	Failed to Operate-Specific Reason
	Unknown
290	Fails Diagnostic/Automatic Test
959	Fails to Transfer to Redundant
	Equipment
051	Fails to Tune or Drifts
698	Faulty Card, Tape, Program, or Disk
001	Faulty Tube, Transistor, or Integrated
025	Circuit
037	Fluctuates, Unstable or Erratic
991	Frequency Out of Band, Unstable or
472	Incorrect
472	Fuse Blown or Defective Circuit Panel/Breaker
625	Gating Incorrect
653	Ground Speed Error
055 065	High Voltage or Standing Wave Ratio
942	Illegal Operation or Address
942 816	Impedance Incorrect
721	Improper Response to Electrical Input
718	Improper Response to Mechanical
, 10	Input

000	To a second Color
088	Incorrect Gain
064	Incorrect Modulation
255	Incorrect Output
626	Inductance Incorrect
987	Input/Output Pulse Distortion
350	Insulation Breakdown
901	Intermittent
383	Lock on Malfunction
988	Loss of Vacuum
962	Low Power (Electrical)
957	No Display
607	No-Go Indication
254	No Output
941	Nonprogrammed Halt
450	Open
948	Operator Error
457	Oscillating
609	Out of Track/Fails to Track
964	Poor Spectrum
567	Resistance Incorrect
583	Scope Presentation Incorrect or Faulty
635	Sensitivity Incorrect
615	Shorted
649	Sweep Malfunction
695	Sync Absent or Incorrect
580	Temperature Sensitive
656	Terminal Error - Azimuth Excessive
654	Terminal Error - CEP Excessive
655	Terminal Error - Range Excessive
637	Triggering Incorrect
939	Unable to Load Program
944	Update or Verification of Program/
	Software Load
692	Video Faulty
169	Voltage Incorrect
1	

HOW MALFUNCTIONED CODES PHYSICAL/MECHANICAL (Alphabetic Sequence)

CODE	DESCRIPTION
127	Adjustment of Alignment Improper
651	Air in System
710	Bearing Failure or Faulty
780	Bent, Buckled, Collapsed, Dented,
	Distorted, or Twisted
135	Binding, Stuck, or Jammed
070	Broken
900	Burned or Overheated
111	Burst or Ruptured
006	Contacts, Connectors, or Connections
•••	Defective
201	Contaminated Oil
170	Corroded Mild/Moderate
667	Corroded Severe
190	Cracked
116	Cut
865	Deteriorated (for protective
	coating/sealant defective; use with
022	"Action Taken" code Z)
932	Does Not Engage, Lock, or Unlock
553	Correctly
223	Does not meet specifications, drawing, or other conformance requirements
	(use with "When Discovered" code Y)
632	Expended (thermal battery, fire
032	extinguisher, etc.)
481	Exposure to Fire Extinguishing Agent
602	Failed or Damaged Due to
002	Malfunction of Associated Equipment
242	Failed to Operate - Specific Reason
	Unknown
301	Foreign Object Damage (FOD)
086	Improper Handling, Shipping, or
300	Maintenance Damage
410	Lack of/or Improper Lubrication
884	Lead Broken
381	Leaking Internal or External
890	Lightning Strike Damage

730	Loose
105	Loose, Damaged, or Missing
100	Hardware (nuts, bolts, screws, clamps,
	safety wire, etc.)
750	Missing
008	Noisy/Chattering
876	Non-Technical Order Directed
070	Removal/ Removal for
	Reconfiguration
200	Oil Leakage
948	Operator Error
880	Opportunistic Maintenance Removal
000	(equipment approaching T.O. limits)
525	Pressure Incorrect/Fluctuates
870	Removal for Research, Test, or
070	Diagnostic Event
875	Removal for Reuse (cannibalization)
878	Removal to Perform Scheduled/
070	Special Inspection (PE, HSI, etc
	T.O. directed)
002	Servicing (may be used with WUC
002	items)
585	Sheared
874	Storage Damage or Deterioration
911	TCTO not complied with, TCTO
<i>)</i> 11	complied with in error, or placed in
	work in error
167	Tension or Torque Incorrect
877	T.O. Identified Components
622	Wet/Condensation
022	Worn, Chaffed, Frayed, or Torn
020	Troin, Charles, Frayes, or Tolli

НОМ	HOW MALFUNCTIONED CODES NO DEFECT (Alphabetic Sequence)		
CODE	<u>DESCRIPTION</u>		
799 800	No Defect No Defect - Component removed/reinstalled to facilitate other maintenance (includes disconnect/connection of electrical wires, hydraulic lines, etc.)		
812	No Defect - Indicated defect caused		
921	by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action Taken" repair codes G, R, P, or Q)		
802	No Defect - Partial TCTO compliance		
805	No Defect - Pre/Post Alert		
804	Programming No Defect - Removed for scheduled maintenance, modification, or		
806	reliability assessment No Defect - Routine/ Emergency/ Special Reprogramming		
801	No Defect - TCTO complied with, all applicable operations completed		
798	No Defect - TCTO complied with by record check or inspection No modification required		
793	No Defect - TCTO kit received by Base Supply or parts are available in Supply		
796	No Defect - TCTO Not Applicable: This is an error code used to tell the IM/SM that this specific piece of equipment should not have been included in the TCTO. This code is not to be used to report compliance		
911	No Defect - TCTO not complied with, TCTO complied with in error or placed in work in error.		
797	No Defect - TCTO previously complied with.		

VIII-001 /VIII-002 blank

HOW MALFUNCTIONED CODES AVIONICS/ELECTRICAL/COMPUTER

(Numeric Sequence)

	()
CODE	DESCRIPTION
001	Faulty Tube, Transistor, or Integrated
	Circuit
025	Capacitance Incorrect
028	Conductance Incorrect
029	Current Incorrect
037	Fluctuates, Unstable, or Erratic
051	Fails to Tune or Drifts
064	Incorrect Modulation
065	High Voltage or Standing Wave Ratio
080	Burned Out or Defective Lamp, Meter,
	or Indicating Device
088	Incorrect Gain
103	Attack Display Incorrect
169	Voltage Incorrect
242	Failed to Operate - Specific Reason
	Unknown
254	No Output
255	Incorrect Output
290	Fails Diagnostic/Automatic Test
350	Insulation Breakdown
383	Lock on Malfunction
450	Open
457	Oscillating
472	Fuse Blown or Defective Circuit
	Panel/Breaker
561	Unable to Adjust to Limits
567	Resistance Incorrect
580	Temperature Sensitive
583	Scope Presentation Incorrect or Faulty
607	No-Go Indication
609	Out of Track/Fails to Track
615	Shorted
625	Gaiting Incorrect
626	Inductance Incorrect
627	Attenuation Incorrect
635	Sensitivity Incorrect
637	Triggering Incorrect
644	Built-in Test (BIT) indicated Fault
649	Sweep Malfunction

652	Align Time Excessive
653	Ground Speed Error
654	Terminal Error - CEP Excessive
655	Terminal Error - Range Excessive
656	Terminal Error - Azimuth Excessive
657	Distance Measurement Error
672	Built-in Test (BIT) False Alarm
692	Video Faulty
693	Audio Faulty
695	Sync Absent or Incorrect
698	Faulty Card, Tape, Program, or Disk
718	Improper Response to Mechanical
	Input
721	Improper Response to Electrical Input
816	Impedance Incorrect
901	Intermittent
939	Unable to Load Program
941	Nonprogrammed Halt
942	Illegal Operation or Address
943	Data Error
944	Update or Verification of Program/
	Software Load
948	Operator Error
949	Computer Memory Error/Defect
956	Computer Equipment Malfunction
957	No Display
959	Fails to transfer to redundant
	equipment
962	Low Power (Electrical)
964	Poor Spectrum
969	Cannot Resonate Input Cavity
974	Does Not Track Tuning Curve
987	Input/Output Pulse Distortion
988	Loss of Vacuum
991	Frequency Out of Band, Unstable, or
	Incorrect

HOW MALFUNCTIONED CODES PHYSICAL/MECHANICAL

(Numeric Sequence)

	- ·
CODE	DESCRIPTION
002	Servicing (may be used with WUC
	items)
006	Contacts, Connectors, or Connections
	Defective
008	Noisy/Chattering
020	Worn, Chaffed, Frayed, or Torn
070	Broken
086	Improper Handling, Shipping, or
	Maintenance Damage
105	Loose, Damaged, or Missing
	Hardware (nuts, bolts, screws, clamps,
	safety wire, etc.)
111	Burst or Ruptured
116	Cut
127	Adjustment or Alignment Improper
135	Binding, Stuck, or Jammed
167	Tension or Torque Incorrect
170	Corroded Mild/Moderate
190	Cracked
200	Oil Leakage
201	Contaminated Oil
242	Failed to Operate - Specific Reason
	Unknown
301	Foreign Object Damage (FOD)
381	Leaking Internal or External
410	Lack of/or Improper Lubrication
458	Out of Balance
481	Expose to Fire Extinguishing Agent
525	Pressure Incorrect/Fluctuates
585	Sheared
602	Failed or Damaged Due to
	Malfunction of Associated Equipment
622	Wet/Condensation
632	Expended (thermal battery, fire
	extinguisher, etc.)
651	Air in System
667	Corroded Severe
710 720	Bearing Failure or Faulty
730	Loose

750	Missing
780	Bent, Buckled, Collapsed, Dented,
	Distorted, or Twisted
865	Deteriorated (for protective
	coating/sealant defective; use with
	"Action Taken" code Z)
870	Removal for Research, Test, or
	Diagnostic Event
874	Storage Damage or Deterioration
875	Removal for Reuse (cannibalization)
876	Non-Technical Order Directed
	Removal/ Removal for
	Reconfiguration
877	T.O. Identified Components
878	Removal to Perform
	Scheduled/Special Inspection (PE,
	HSI, etc T.O. directed)
880	Opportunistic Maintenance Removal
	(equipment approaching T.O. limits)
884	Lead Broken
890	Lightning Strike Damage
900	Burned or Overheated
911	TCTO not complied with, TCTO
	complied with in error, or placed in
	work in error
932	Does Not Engage, Lock, or Unlock
	Correctly
948	Operator Error

HOW MALFUNCTIONED CODES NO DEFECT

(Numeric Sequence)

No Defect - TCTO kit received by Base Supply or parts are available in Supply No Defect - TCTO Not Applicable. This is an error code used to tell the IM/SM that this specific piece of equipment should not have been included in the TCTO. This code is not to be used to report compliance No Defect - TCTO previously complied with No Defect - TCTO complied with by record check or inspection. No modification required No Defect No Defect No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) No Defect - TCTO complied with, all applicable operations completed No Defect - Partial TCTO compliance No Defect - Removed for scheduled maintenance, modification, or reliability assessment No Defect - Pre/Post Alert Programming No Defect - Routine/Emergency/ Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action Taken" repair codes G, R, P, or Q)	<u>CODE</u>	<u>DESCRIPTION</u>
Supply No Defect - TCTO Not Applicable. This is an error code used to tell the IM/SM that this specific piece of equipment should not have been included in the TCTO. This code is not to be used to report compliance 797 No Defect - TCTO previously complied with No Defect - TCTO complied with by record check or inspection. No modification required 798 No Defect 800 No Defect 800 No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Partial TCTO compliance 805 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 806 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"	793	No Defect - TCTO kit received by
No Defect - TCTO Not Applicable. This is an error code used to tell the IM/SM that this specific piece of equipment should not have been included in the TCTO. This code is not to be used to report compliance 797 No Defect - TCTO previously complied with No Defect - TCTO complied with by record check or inspection. No modification required No Defect 800 No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Partial TCTO compliance 805 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 806 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"		
This is an error code used to tell the IM/SM that this specific piece of equipment should not have been included in the TCTO. This code is not to be used to report compliance 797 No Defect - TCTO previously complied with by record check or inspection. No modification required 798 No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 800 No Defect - TCTO complied with, all applicable operations completed 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 810 No Defect - Indicated defect caused by associated equipment malfunction 811 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"		
IM/SM that this specific piece of equipment should not have been included in the TCTO. This code is not to be used to report compliance 797 No Defect - TCTO previously complied with 798 No Defect - TCTO complied with by record check or inspection. No modification required 799 No Defect 800 No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Partial TCTO compliance 805 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 806 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 810 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"	796	
equipment should not have been included in the TCTO. This code is not to be used to report compliance 797 No Defect - TCTO previously complied with 798 No Defect - TCTO complied with by record check or inspection. No modification required 799 No Defect 800 No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"		
included in the TCTO. This code is not to be used to report compliance 797 No Defect - TCTO previously complied with 798 No Defect - TCTO complied with by record check or inspection. No modification required 799 No Defect 800 No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"		* *
797 No Defect - TCTO previously complied with 798 No Defect - TCTO complied with by record check or inspection. No modification required 799 No Defect 800 No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"		
798 No Defect - TCTO previously complied with 798 No Defect - TCTO complied with by record check or inspection. No modification required 799 No Defect 800 No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"		
complied with No Defect - TCTO complied with by record check or inspection. No modification required No Defect No Defect No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) No Defect - TCTO complied with, all applicable operations completed No Defect - Partial TCTO compliance No Defect - Removed for scheduled maintenance, modification, or reliability assessment No Defect - Pre/Post Alert Programming No Defect - Routine/Emergency/ Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"	505	
 No Defect - TCTO complied with by record check or inspection. No modification required No Defect No Defect - Component removed/reinstalled to facilitate other maintenance (includes disconnect/connection of electrical wires, hydraulic lines, etc.) No Defect - TCTO complied with, all applicable operations completed No Defect - Partial TCTO compliance No Defect - Removed for scheduled maintenance, modification, or reliability assessment No Defect - Pre/Post Alert Programming No Defect - Routine/Emergency/Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action 	797	
record check or inspection. No modification required No Defect No Defect No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) No Defect - TCTO complied with, all applicable operations completed No Defect - Partial TCTO compliance No Defect - Removed for scheduled maintenance, modification, or reliability assessment No Defect - Pre/Post Alert Programming No Defect - Routine/Emergency/ Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action	700	
modification required No Defect No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) No Defect - TCTO complied with, all applicable operations completed No Defect - Partial TCTO compliance No Defect - Removed for scheduled maintenance, modification, or reliability assessment No Defect - Pre/Post Alert Programming No Defect - Routine/Emergency/ Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action	198	
 No Defect No Defect - Component removed/reinstalled to facilitate other maintenance (includes disconnect/connection of electrical wires, hydraulic lines, etc.) No Defect - TCTO complied with, all applicable operations completed No Defect - Partial TCTO compliance No Defect - Removed for scheduled maintenance, modification, or reliability assessment No Defect - Pre/Post Alert Programming No Defect - Routine/Emergency/Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action 		
800 No Defect - Component removed/ reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action	700	<u>-</u>
reinstalled to facilitate other maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action		110 201000
maintenance (includes disconnect/ connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action	000	
connection of electrical wires, hydraulic lines, etc.) 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action		
hydraulic lines, etc.) No Defect - TCTO complied with, all applicable operations completed No Defect - Partial TCTO compliance No Defect - Removed for scheduled maintenance, modification, or reliability assessment No Defect - Pre/Post Alert Programming No Defect - Routine/Emergency/ Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"		
 801 No Defect - TCTO complied with, all applicable operations completed 802 No Defect - Partial TCTO compliance 804 No Defect - Removed for scheduled maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action 		,
applicable operations completed No Defect - Partial TCTO compliance No Defect - Removed for scheduled maintenance, modification, or reliability assessment No Defect - Pre/Post Alert Programming No Defect - Routine/Emergency/ Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"	801	
 No Defect - Partial TCTO compliance No Defect - Removed for scheduled maintenance, modification, or reliability assessment No Defect - Pre/Post Alert Programming No Defect - Routine/Emergency/Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action 		
maintenance, modification, or reliability assessment 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action"	802	
reliability assessment No Defect - Pre/Post Alert Programming No Defect - Routine/Emergency/ Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action	804	No Defect - Removed for scheduled
 805 No Defect - Pre/Post Alert Programming 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action 		maintenance, modification, or
Programming No Defect - Routine/Emergency/ Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action		reliability assessment
 806 No Defect - Routine/Emergency/ Special Reprogramming 812 No Defect - Indicated defect caused by associated equipment malfunction 921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action 	805	No Defect - Pre/Post Alert
Special Reprogramming No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action")		Programming
 No Defect - Indicated defect caused by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action") 	806	
by associated equipment malfunction No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action		
921 No Defect - Item has been rebuilt, refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action	812	
refurbished, or has had parts replaced because of Technical Order Requirements (to be used with "Action		
because of Technical Order Requirements (to be used with "Action	921	
Requirements (to be used with "Action		
Taken" repair codes G, R, P, or Q)		
		Taken" repair codes G, R, P, or Q)

SUPPORT GENERAL CODES

CODE DESCRIPTION

01000 GROUND HANDLING, SERVICING, AND RELATED

SERVICING, AND RELATED FACEC

TASKS

Ground Handling

Equipment Moving or Repositioning

Installation and/or Relocation of Equipment

Removal of Equipment

Mission Equipment Operation or Support When Not Associated With Scheduled or Unscheduled Maintenance

Servicing and Related Tasks

Scheduled Power Changeover

Troubleshooting End Items or Facilities (Use only for end items or facilities that do not have a work unit code assigned)

Unscheduled Power Changeover

Power Production Service and Checkout

Environmental Control

Rehabilitation of Antenna Systems

Unscheduled Antenna System Service

Clearing of Antenna/Transmission Right-of-Way

Installation of New Antenna System

Receiver or Transmitter Frequency Changes

01000 GROUND HANDLING, SERVICING AND RELATED TASKS CONT.

Servicing and Related Task Cont.

Tape Development, Reproduction, and Analysis

Telephone Number Change

Rehabilitation of Equipment

02000 EQUIPMENT AND FACILITY CLEANING

Washing or Degreasing

Cleaning and Treating Equipment to Prevent Corrosion

Ground Snow, Frost, and Ice Removal

Cleaning Antenna Systems, Mobile Facilities and Fixed Facilities

Decontamination

05000 PRESERVATION,

DEPRESERVATION AND

STORAGE OF C-E EQUIPMENT

06000 GROUND SAFETY

07000 PREPARATION AND MAINTENANCE OF RECORDS

(This code will be used to record only the direct labor expended in preparation and/or maintenance of status and historical forms. This excludes initiation and completion of production documentation forms.)

09000 SHOP SUPPORT GENERAL CODE

Fabricate (includes fabrication or local manufacture of miscellaneous items.)

09000 SHOP SUPPORT GENERAL CODE CONT.

Stenciling/painting (includes stenciling, lettering, installing decals, instrument range marking, etc., and painting for cosmetic purposes only). Do not use this code for treating corrosion or painting of parts/assemblies/equipment for corrosion prevention/control

Testing and servicing fire extinguishers

Reclamation

LOOK PHASE OF SCHEDULED INSPECTIONS

SCHEDULED INSPECTIONS

	CODE	<u>DESCRIPTION</u>
	03100	As Required (other than as specified below)
İ	03101	Daily
	03107	7 Day Interval
	03114	14 Day Interval
	03121	21 Day Interval
	03128	28 Day Interval
	03142	42 Day Interval
	03156	56 Day Interval
	03184	84 Day Interval
	03268	168 Day Interval
	03336	336 Day Interval
1		

LOOK PHASE OF C-E SPECIAL INSPECTIONS

C-E SPECIAL INSPECTIONS

<u>CODE</u>	<u>DESCRIPTION</u>
04110	Operational or System Checks
04111	Special Modification Inspection
04112	Equipment Inventory
04119	Special Inspections NOC
04141	Corrosion Control Inspections Accomplished Separately from Scheduled Inspections
04610	Non-Destructive Testing (All Types)
04630	Research and Development of New or Revised Non-Destructive Inspection Techniques

UNIQUE DATA CODES FOR MAINTENANCE COST SYSTEM

CODE DESCRIPTION

ALT00

Alert Duty. All man-hours expended while waiting for alert aerospace vehicles to takeoff or land, such as strategic, defense, tactical, standing by for crash alert, or for alert missiles when no work is being accomplished. Not to be used for standby, awaiting work assignments, lag, or other delays, or when direct productive effort is being expended.

CMP00

Compensatory Time for Overtime.

All direct assigned man-hours excused from normal duty as a result of previously expended overtime man-hours.

DTL00 Detail, Squadron or Base Duties.

Man-hours expended by direct labor personnel (labor code 100) performing on-base duties such as CQ, policing, building maintenance, driver, dining hall, parade, commanders call, general military training, non-technical training, etc.

LVE00

Leave. Man-hours excused from duty, pass, or official leave, military, medical or sick leave.

TRN00

<u>Maintenance Training</u>. Man-hours expended in OJT, formal and informal maintenance technical training.

NOTE: These codes are to be used to account for man-hours expenditures of personnel with an assigned "direct" labor code when performing one of the above functions. Documentation guidance for AFTO Form 349 entries is contained in 00-20-2- series Technical Orders.

WORK UNIT CODES WSR-88D DOPPLER METEOROLOGICAL RADAR

SECTION I

INTRODUCTION

This section of the manual contains work unit codes for all equipment. These codes will be used by maintenance personnel when recording maintenance performed directly on the end item, or on components of the equipment undergoing repair, testing, calibration, or bench check.

WORK UNIT CODE

AFSA0

A0000 DOPPLER METEOROLOGICAL RADAR WSR-88D

AF000 EQUIPMENT SHELTER ASSEMBLY UD1

Surge Suppressor 7A11, 7A68, 7A69

AFS00 SHELTER UD7

AFSA9 NOC
AFSB0 Fire Suppression System 7A5
AFSBA Printed Circuit Board 7A5A1

AFSB9 NOC

AFSC0 Damper Assembly 7A9, 7A10, 7A39,

7A40

AFSD0 Alarm Panel 7A12

AFSD9 NOC

AFSE0 Fire Suppression Manual Abort

Station 7A7

AFSF0 Manual Discharge Station 7A6 AFSG0 Utilities Junction Box 7A1, A24

AFSH0 Main Power Distribution Panel 7A2

AFSH9 NOC

AFSJ0 Secondary Power Distribution Panel

7A3, 7A29, 7A30

AFSK0 Xmtr Discharge Sensor 7A21, 7A51 AFSL0 Solenoid Valve Assembly 7A8A1

AF000	EQUIPMENT SHELTER ASSEMBLY
	UD1 - Continued
AFS00	SHELTER UD7 - Continued
AFSM0	Relay Box Assembly UD31 (FAA
	Only)
AFSN0	RDA Shelter CEC Coil Control
	7TPS1
AFSN9	NOC
AFSP0	CEC Pwr Dist Panel 7TPS2
AFSP9	NOC
AFSQ0	Magnetic Contactor 7S6, 7S36, 7S37
AFSR0	Air Conditioning Unit (w/o
A EGD O	Economizer) 7AC1, AC2
AFSR9	NOC
AFSS0	Air Conditioning Unit (w/
A EGGO	Economizer) 7AC1, AC2
AFSS9	NOC
AFST0	Air Conditioning Unit Discharge
AFSU0	Sensors 7A18, 7A19, 7A48, 7A49
AFSUU	Clogged Filter Indicator 7A14, 7A15, 7A16, 7A44
AFSV0	Bandpass Filter 1FL1/101, 1FL2
AFSW0	Bandpass Filter 1FL5/105
AFSX0	Line Protector Assy 1A26
AFSY0	Bandpass Filter 1FL3/103
AFSZ0	Bandpass Filter 1FL4/104
AFS99	NOC
AH000	RDA SITE GENERATOR SHELTER
	UD10
AHA00	Onan Auto Transfer Switch
	Assembly 10A1-1
AHAA0	Voltage Sensing Module
	10A1A5-1, 10A1A7-1
AHAB0	Battery Charger 10A1A6-1
AHAC0	Program Transition Module
	10A1A8-1
AHAD0	Signal Module PCB 10A1A2-1
AHAEO	Exerciser Clock 10A1A3-1
AHAF0	Power Sentry Motherboard
AIIACO	10A1A4-1
AHAG0 AHAH0	Transformer PCB 10A1A9-1
AHAH9	Time Delay PCB 10A1A10-1 NOC
AHAH9 AHA99	NOC NOC
AHAJJ	NOC

AH000	RDA SITE GENERATOR SHELTER
	UD10 - Continued
AHB00	Main Power Distribution Panel 10A2
AHB99	NOC
AHC00	Onan 80KW Generator 10MG1
AHCA0	Battery 10MG1BT1, 10MG1BT2
AHCB0	Diesel Generator Engine
	10MG1M1
AHCC0	Control Monitor 10MG1A1
AHCC9	NOC
AHC99	NOC
AHD00	Kohler 80KW Diesel Generator
	10MG1
AHDA0	Battery 10MG1BT1
AHDB0	Controller Assembly 10MG1A1
AHDBA	•
	10MG1A1A1
AHDBB	16 Light PCB Assembly
	10MG1A1A2
AHDB9	NOC
AHDC0	Diesel Engine Assembly/John
	Deere 10MG1M1
AHDC9	NOC
AHD99	NOC
AHE00	Kohler Auto Transfer Switch 10A1
AHEA0	Microcontroller Assembly
	10A1A1
AHEAA	Load Shed PCB Assembly
	10A1A1A1
AHEAB	10 Relay PCB Assembly
	10A1A1A2
AHEAC	1 Relay PCB Assembly
	10A1A1A3/A4
AHEA9	NOC
AHEB0	Battery Charger 10A1A6
AHEC0	Power Supply 10A1A7
AHED0	Contactor Assembly 10A1A2
AHED9	NOC
AHE99	NOC
AHF00	Interior Temperature Sensor 10A7,
	10A12
AHG00	Alarm Termination Panel 10A9

AH000	RDA SITE GENERATOR SHELTER
	UD10 - Continued
AHH00	Fuel Tank Assembly 10A6
AHHA0	Fuel Sensor Assembly 10A6A1,
	10A6A2
AHHAA	Fuel Level Sensor
	10A6A1MT1, 10A6A2MT1
AHHAB	Fuel Level Probe Sensor
	10A6A1MT1A1,
	10A6A2MT1A1
AHH99	NOC
	Thermal Detector 10A8
AHK00	Exhaust Fan 10B5
AHL00	CD-36" X 36" Exhaust Damper
	Assembly 10A3
AHM00	CD-20" X 20" Exhaust Damper
11111100	Assembly 10A11
AHN00	CD-42" X 42" Intake Damper
11111100	Assembly 10A4, 10A5
AHP00	Actuator Motor 10B1 thru 10B4
	Heater 10HR1
-	Utility Power Disconnect Switch 10S1
	NOC
	Thermostat Transmitter 10S2
	TPS Fuse Disconnect 10TPS1
	Surge Protector 10A20
	NOC
	Portable Fire Extinguisher 10A10
	Fluorescent Light Fixture 10U1, 10U2
A.J000	TRANSITION POWER
	MAINTENANCE SHELTER UD60
AJA00	Environmental Control Unit, 2-ton
	60A11 (Type 1, 2, 5, 6 & 9)
AJB00	TPS Ventilation System 60A2
	(Type 3)
AJB99	NOC
AJD00	1.8KW 120V Electric Toilet 60A4
	(Type 1, 4, 5, 7 & 9)
AJD99	NOC
AJE00	Shelter Power Distribution System
	Panel 60A5
AJE99	NOC
	AHH00 AHHA0 AHHAA AHHAB AHHAB AHH99 AHJ00 AHK00 AHK00 AHK00 AHM00 AHR00

TRANSITION POWER
MAINTENANCE SHELTER UD60 -
Continued
Alarm Termination Panel 60A6
Magnetic Door Alarm Panel
60A6A1, A2, & A3
NOC
Heater Unit (Type 3) 60A7, 60A8
Hydrogen Detector 60A10
NOC
Hydrogen Detector Circuit Breaker
Panel 60A13
Environmental Control Unit, 3-ton
60A12 (Type 4 & 7)
Environmental Control Unit, with Coated Coils 60A15
ECU Thermostat 60A14
NOC
RADAR TRANSMITTER UD3/103
Control Panel 3A1
Fault Display Printed Wiring
Assy 3A1A1
Metering Interface Circuit Card
Assy 3A1A2
Proportional Preheat Circuit Card
3A1A3
Card Rack and Wired Backplane
Assy 3A3
Transmitter Control Logic PTD
Wiring Assy 3A3A1
Transmitter Control Interface
PWA 3A3A2
RMS Interface Printed Wiring
Assy 3A3A3
Control Adapter Printed Wiring
Assy 3A3A4
RF Driver Module 3A4
Oil Tank Assembly 3A7
Interface Assembly 3A7A1
Oil Tank Component PTD
Wiring Assy 3A7A1A1
Centrifugal Pump Unit 3A7HP1
Pulse Transformer 3A7T1

AK000	RADAR TRANSMITTER UD3/103 - Continued
AKBD0	Oil Tank Assembly 3A7 -
	Continued
AKBDF	Charging Transformer 3A7T2
AKBDG	
AKBE0	Modulator Pulse Assembly 3A12
AKBEA	RBDT Switch 3A12A1
AKBEB	Trigger Blocking Diode Stack
	3A12A2
AKBEC	Backswing Diode Stack Assembly 3A12A3
AKBED	Diode Assembly 3A12A5
AKBEE	Resistor/Diode Assembly 3A12A4
AKBEF	Pulse Forming Network 3A12A6
AKBEG	Trigger Loading Board Assembly 3A12A7
AKBEH	Voltage Equalization Printed
	Wiring Assy 3A12A8
AKBEJ	Stack Monitor 3A12A9
AKBEK	Right Hand Drawer Extension
	Slide 3A12MP5
AKBEL	Left Hand Drawer Extension
	Slide 3A12MP3
AKBEM	2 2 2
	3A12A10
AKBEN	PFN Interface Switch 3A12A11
AKBE9	NOC
AKBF0	Post Charge Regulator 3A8
AKBG0	Trigger Amplifier 3A11
AKBH0	Cabinet Blower Assembly 3B3
AKBHA	
AKBHB	Modified Blower 3B3B2
AKBJ0	Filament Power Supply 3PS1
AKBK0	280V Power Supply Assembly 3A2
AKBL0	Pulse Shaper Module 3A5
AKBM0	Arc Detector 3A6
AKBN0	Filter Capacitor Bank 3A9
AKBP0	Charging Switch 3A10
AKBQ0	Power Distribution Panel 3A13
AKBR0	Fuse Box Assembly 3N3
AKBS0	30dB Directional Coupler 3DC1
AKBT0	Focus Coil Power Supply 3PS2

AK000	RADAR TRANSMITTER UD3/103
	- Continued
AKBU0	+28V Power Supply 3PS3
AKBV0	+15V/-15V Power Supply 3PS4,
	3PS5
AKBW0	11 2
AKBX0	+45V Power Supply 3PS7
AKBY0	Vacuum Pump Power Supply 3PS8
AKBZ0	Manifold Assembly
AKBZA	Manifold
AKB10	Stove Pipe Duct
AKB20	Klystron 3V1
AKB30	Focus Tube Coil 3L1
AKB40	Tuning Mechanism 3L1A2
AKB50	Transmitter Cabinet Assembly
AK099	NOC
AL000	TRANSITION POWER SOURCE
112000	(TPS) UD61, UD62, UD63, UD64,
	UD65
ALE00	TPS Power Distribution System 61A5
ALEA0	Input Fused Disconnect 61A5S1
ALEB0	Maintenance Bypass Fused
	Disconnect (Type 1, 2, & 4)
	61A5S2
ALEC0	Maintenance Bypass Fused
	Disconnect (Type 3) 61A105S2
ALED0	Output Fused Disconnect 61A5S3
ALE99	NOC
ALF00	TRANSITION POWER SYSTEM,
	PLUS 50 KVA UD62
ALFA0	Static Switch/By-Pass Assy 62A3
ALFAA	By-Pass Control PWB
	62A3A1
ALFB0	Inverter/Rectifier Control PWB
	Assy 62A4
ALFBA	Rectifier Control PWB
	62A4A1
ALFBB	Inverter Control PWB 62A4A2
ALFB9	NOC
ALFC0	Monitor Panel Assy 62A5
ALFCA	Monitor PWB 62A5A1
ALFCB	CCFT DC/AC Inverter Board
ALECC	62A5A3
ALFCC	Monitor LCD Panel 62A5A2

AL000	TRANSITION POWER SOURCE (TPS) UD61, UD62, UD63, UD64, UD65 - Continued
ALF00	TRANSITION POWER SYSTEM,
	PLUS 50 KVA UD62 - Continued
ALFD0	Power Supply Assy 62PS1,
	62PS2, 62PS3
ALFE0	Fan Assembly 62A7
ALFE9	NOC
ALFF0	DC Capacitor Pan 62A1
ALFG0	Fuse Panel Assembly 62A2
ALFH0	Accessory Termination Panel
	62A13
ALFJ0	Control Panel Assembly 62A6
ALFI9	NOC
ALFK0 ALFKA	Inverter Assembly 62A8 A-Phase Inverter Module
ALFKA	
ALFKB	Assembly 62A8A1 B-Phase Inverter Module
ALFKD	Assembly 62A8A2
ALFKC	C-Phase Inverter Module
ALITAC	Assembly 62A8A3
ALFK9	NOC
ALFL0	Rectifier Assembly 62A9
ALFL9	NOC
ALFM0	Magnetic Package Assembly
11211110	62A10
ALFN0	Customer Interface Panel 62A11
ALFNA	Remote Monitor Adapter
	Cable 62A11A1
ALFP0	Modem Assembly 62A12
ALFPA	Modem 62A12A1
ALFQ0	Base Assembly 62A14
ALFR0	Cabinet
ALFR9	NOC
ALF99	NOC
ALG00	Battery Cabinet UD63
ALGA0	Battery Cabinet Assembly 63A1
ALGA9	NOC
ALGB0	Battery Tray Assembly 63A2
ALGBA	12V Battery 63A2BT1 thru
AT CDO	BT40
ALGB9	NOC
ALG99	NOC

AA-008 Change 1

	0 0-302
AL000	TRANSITION POWER SOURCE
	(TPS) UD61, UD62, UD63, UD64,
	UD65 - Continued
ALH00	Maintenance By-Pass Cabinet UD64
	(TPMS Types 5, 6, 7, 8, and 9)
ALHA0	Electrical Interlock Assembly
	64A1
ALHA9	NOC
ALH99	NOC
ALJ00	Supervisory Contact Module UD65
ALJ99	NOC
AL099	NOC
AP000	RADAR DATA PROCESSING EQUIPMENT
APC00	RADAR RECEIVER UD4/104
APCA0	RF Panel Assembly P/O UD4
	4Z1N1
APCAB	R4983 - XXX Bandpass
	Filter 4A4
APCAC	R4580 - XXX Bandpass
	Filter 4A4
APCAD	2 Position RF Switch 4A24
APCAE	Mixer - Amplifier 4A5
APCAF	RF Power Monitor 4A26
APCAG	Microwave Delay Line 4A21
APCAH	RF Digital Attenuator 4A23
APCAJ	4 Position RF Switch 4A22
APCAK	RF Detector - Video Log
	Amplifier 4A29
APCAL	RF Transmission Line Switch
	4A27
APCAM	
	4A25
APCAN	I/Q Phase Difference
	Detector 4A10
APCAP	Transmission Line Coupler
	4A20
APCA9	NOC
APCB0	Hinged Door Assembly P/O
	UD4 4Z1N2
APCBA	Matched Bandpass Filter
A P.C.P.F.	Assembly 4A6
APCBB	Coaxial Delay Line 4A7
APCBC	IF Attenuator Assembly 4A8

AA-009 Change 1

AP000	RADAR DATA PROCESSING
APC00	EQUIPMENT - Continued
APC00	RADAR RECEIVER UD4/104 -
A DCDD	Continued
APCBD	IF Amplifier/Limiter 4A9
APCBE	Amplifier - Detector 4A12
APCBF	AGC Controller Assembly
, Dana	4A13
APCBG	IF Guard Band Amplifier
A DODII	4A14
APCBH	Bandpass Filter 4A16
APCBJ	Bandpass Filter 4A15
APCBK	Amplifier - Detector 4A17
APCBL	Amplifier - Detector 4A18
APCBM	Interference Detector
10001	Assembly 4A19
APCBN	IF Transmission Line Switch
	4A28
APCBP	Amplifier - Detector 4A30
APCBQ	RF/IF Test Monitor 4A31
APCBR	Receiver Interface Assembly
	4A32
APCB9	NOC
APCC0	18V Power Supply Assembly
	4PS1
APCD0	+5V Power Supply Assembly
	4PS2, 4PS7, 4PS9
APCE0	-9V Power Supply Assembly
	4PS4
APCF0	+5V Power Supply Assembly
	4PS5
APCG0	+9V Power Supply Assembly
	4PS6
APCH0	15 √Power Supply Assembly
	4PS8
APCJ0	Frequency Generator 4A1
APCJA	Frequency Generator 4A1A1
APCK0	A/D Converter Assembly 4A11
APC99	NOC
APDA0	DAU Panel Assembly 5A3
	(F, RF, RN)
	· · · · · · · · · · · · · · · · · · ·
(E) E !! ^	
	cale Production (RF) Redundant FAA
(KN) Red	undant NWS

AP000	RADAR DATA PROCESSING
4.777.00	EQUIPMENT - Continued
APD00	RDA DATA PROCESSOR UD5/105
APDA0	DAU Panel Assembly 5A3 -
	Continued
APDA1	DAU Panel Assembly 5A3 (L)
APDAA	DAU Digital Processor Circuit
	Card 5A3A1
APDAB	DAU Analog Processor Circuit
	Card 5A3A2
APDB0	SCSI Assembly 5A5
APDBA	1/4" Streaming Tape
	Drive 5A5A1
APDBB	Fixed Disc Drive 5A5A2
APDBC	+12, +5V SCSI Power Supply
	5A5PS1
APDC0	Digital Control Unit 5A6
APDCA	+5V, 15₩ P ower Supply
	5A6PS1
APDCB	+28V Power Supply 5A6PS2
APDCC	Digital Card 5A6A2
APDCD	Analog Card 5A6A1
APDCE	Notch Filter PWA 5A6A3
APDCF	+5V Power Supply 5A6PS3
APDD0	Pedestal Power Amplifier Unit
	5A7
APDDA	4KW Power Amplifier
	5A7A1, 5A7A2
APDDB	HV Monitor Printed Wiring
A DDEO	Assy 5A7A3
APDE0	Programmable Signal Processor
ADDEA	5A9
APDEA	Input Signal Conditioner
ADDED	CCA 5A9A1
APDEB	IOC Controller CCA 5A9A2
APDEC	IOC Output Memory CCA
ADDED	5A9A3
APDED	ACU 1-Bus Interface Unit
ADDEE	CCA 5A9A4
APDEE	ACU 2-Microsequencer CCA
	5A9A5

(L) Limited Production

AA-0011 Change 1

ı	AP000	RADAR DATA PROCESSING
ı		EQUIPMENT - Continued
ı	APD00	RDA DATA PROCESSOR UD5/105
ı		- Continued
ı	APDE0	Programmable Signal Processor
I		5A9 - Continued
I	APDEF	ACU 3-Register ALU CCA
I		5A9A6
I	APDEG	ACU 4-Memory ADRS
I		Generator CCA 5A9A7
I	APDEH	Arithu 4-Memory CCA
I		5A9A8, 5A9A12, 5A9A16
I	APDEJ	Arithu 1-Input Multiplexer
ا		5A9A9, 5A9A13, 5A9A17
۱	APDEK	Arithu 2-Mux/Accumulator
I		5A9A10, 5A914, 5A918
I	APDEL	Arithu 3-Output Selector
I	, DDEL	5A9A11, 5A9A15, 5A9A19
I	APDEM	Chassis Assembly 5A9A20
ı	APDF0	Hardwired Signal Processor 5A10
I	APDFA	Control Interface A CCA
ı	A DDED	5A10A1
I	APDFB	Filter Output/Clutter Map
I	APDFC	CCA 5A10A2 Control Interface B CCA
ı	APDIC	5A10A3
I	APDFD	Synchronizer Circuit Card
I	ArDrD	Assembly 5A10A4
ا	APDFE	Synchronizer Circuit Card
۱	ALDEL	Assembly 5/105A10A4
۱	APDFF	Control Interface C CCA
		5A10A5
	APDFG	Prescaler Circuit Card
		Assembly 5A10A6
	APDFJ	Clutter Filter CCA 5A10A7,
ı		5A10A8
	APDFK	Chassis Assembly (NR only)
	APDFL	Chassis Assembly (R)
	APDG0	RDA M5/ES Chassis Assembly
		5A12
	(R) Redun	ndant (NR) Non-Redundant
1	(IX) IXCUUI	idant (1418) 14011-18044Huant

AA-0012 Change 1

	AP000	RADAR DATA PROCESSING
		EQUIPMENT - Continued
١	APD00	RDA DATA PROCESSOR UD5/105
١		- Continued
۱	APDG0	RDA M5/ES Chassis Assembly
		5A12 - Continued
	APDGA	Upper Temperature Sensor
		Assembly 5A12A3
	APDGB	Micro 5 Processor CPU
		Assembly 5A12A4
	APDGC	Direct Memory Interface CCA
		5A12A5
ı	APDGD	8 Mb Composite Memory
۱		Module CCA 5A12A6
I	APDGE	Level II Controller 5A12A11
	APDGF	PSPI Circuit Card Assembly
		5A12A14
	APDGG	VCI-C Module 5A12A18
ı	APDGH	8 Line Comm Mux CCA
	A DD CI	5A12A19
	APDGJ	Clock/Calendar Module
ı	A DD CIV	5A12A20A1
	APDGK	8 Kb LSU w/Auto Restart
ı	ADDCI	CCA 5A12A20A2
ı	APDGL	Clock Distribution CCA
	APDGM	5A12A21 DMA Terminator CCA
ı	APDGM	5A12AT6
۱	APDGN	16 Mb SELCH Circuit Card
۱	ALDON	Assy 5A12A13, 5A12A15
۱	APDGP	ODC Assembly 5A12A12
۱	APDGP	I/O Terminator 5A12AT3,
I	AI DOQ	5A12AT4, 5A12AT7 thru
		5A12AT10
	APDGR	DMA Terminator 5A12AT5
	APDGS	S-Bus Terminator 5A12AT1
	APDGT	Terminator Board 5A12AT2
	APDG9	NOC
	APDH0	Fan Panel Assembly, Lower 5A13
	APDHA	Fan Tray 5A13A1
	APDHB	Fan Sensor Board 5A13A1A1
	APDH9	NOC
	APDJ0	Fan Panel Assembly 5A8
1		·

AA-0013 Change 1

	RADAR DATA PROCESSING
	EQUIPMENT - Continued
APD00	RDA DATA PROCESSOR UD5/105
	- Continued
APDK0	Signal Processor Cooling Fan
	Assy 5A11
APDL0	CDS Patch Panel CCA 5A15
APDM0	VME Assembly 5A1
APDMA	VCI-V Module 5A1A1
APDMB	ISDN Wideband Controller
, pp. (G	5A1A2, 5A1A3
APDMC	VME Power Supply 5A1PS1
APDM9	NOC
APDN0	Maintenance Panel Assembly 5A2
APDN9	NOC
APDP0	CDT-100 Maintenance Terminal
4 PD 00	Monitor 5/105A4
APDQ0	+5V Power Supply 5PS4
APDR0	AC Power Distribution Panel
A DDGG	5A14
APDS0	+28V Power Supply Assembly
A DD EG	5PS1
APDT0	15₩ Power Supply Assembly
A DDIIIO	5PS2
APDU0	+5V Power Supply Assembly
A DDIVO	5PS3
APDV0	Swingout Power Subsystem 5PS5
APDVA	DC Power Supply 5PS5A2
APDVB	AC Power Module 5PS5A1
APDVC APDVD	CDS Control Module 5PS5A3
	Fan Assembly 5PS5A4 NOC
APDV9 APDW0	- 1 - 2
APDWU	A/B Switch Assembly 5A17
APDW1	(R, RF) Dual ABC Switch Assembly
ALDWI	105A17 (RN)
APDX0	Servo Choke Assembly 5A25
APDY0	Relay Assembly 5A24 (RN)
APDZ0	Automatic A/B Switch 5A19
AI DZ0	(RN)
(R) Redun	dant (RF) Redundant FAA
	andant NWS

AA-0014 Change 1

AP000	RADAR DATA PROCESSING
APD00	EQUIPMENT - Continued RDA DATA PROCESSOR UD5/105
AIDOU	- Continued
APD10	Statistical Multiplexer 105A20
111210	(RN)
APD20	Standalone Dial Port Modem
	105A21 (RN)
APD30	Convenience Panel 5A16
APD40	Channel Service Unit 5A18
APD50	RDA/RPG Remote Access
	Terminal (RRRAT)
APD51	RRRAT Monitor 5A33
APD52	RRRAT Keyboard 5A34
APD53	RRRAT CPU 5A32
APD54	RRRAT Mouse 5A36
APD59	NOC
APD99	NOC
APE00	Waveguide Pressurization Unit
	(Model HA-4) UD6
APE99	NOC
APF00	Waveguide Pressurization Unit
	(Model HA-4X2) UD6/106
APF99	NOC
APG00	Level II Recorder UD16
APGA0	Recording System 16A1
APGB0	8mm Tape 10 Position Rack 16A2
APGC0	Uninterruptible Power Supply
A DCCOO	UD16PS1
APG99 AP099	NOC
AP099	NOC
AX000	TOWER AND RADOME
AXA00	Radome UD12
AXAA0	Aircraft Warning Light Assembly
	12A1
AXAB0	Zenith Hatch Assembly 12MP10
AXAC0	Lightning Rod 12MS4
AXAD0	5 Rod Lightning Array 12MS4-1
AXA99	NOC
AXB00	Steel Tower UD11
(RN) Red	undant NWS

AX000	
AXB00	Steel Tower UD11 - Continued
AXBA0	Exhaust Motorized Damper
4 T/D 4 4	Assembly 11A1
AXBAA	Actuator Motor 11A1B1
AXBB0	Ventilation Fan Assembly 11A2
	(Use with White Radome)
AXBC0	Ventilation Fan Assembly 11A2
LIDDO	(Use with Colored Radome)
AXBD0	Motor 11A2B1
AXBE0	Intake Damper Assembly 11A3
AXB99	NOC
AXC00	Limited Production Pedestal
	Assembly 2A1 (L)
AXCA0	Elevation Assembly 2A1A1
AXCAA	EL Manual Drive Assembly
	2A1A1A1
AXCAB	EL Data Package Assembly
	2A1A1A2
AXCAC	EL Encoder 2A1A1A2A1
AXCAD	EL Gearbox w/Speed
	Reducer 2A1A1A3
AXCAE	EL DC Servo Motor 2A1A1B1
AXCA9	NOC
AXCB0	Azimuth Assembly 2A1A3
AXCBA	AZ Manual Drive Assembly
	2A1A3A1
AXCBB	AZ Data Package Assembly
	2A1A3A2
AXCBC	AZ Encoder 2A1A3A2A1
AXCBD	AZ Gearbox w/Speed
	Reducer 2A1A3A3
AXCBE	AZ DC Servo Motor
	2A1A3B1
AXCBF	AZ Drive Module
AXCB9	NOC
AXD00	Full Scale Production Pedestal
	Assembly 2A1 (F, R)
AXDA0	Elevation Assembly 2A1A1
AXDAA	3
	2A1A1A1
(F) Full So (R) Redun	cale Production (L) Limited Production

	TOWER AND RADOME - Continued
AXD00	Full Scale Production Pedestal
AXDAB	Assembly 2A1 (F, R) - Continued
AADAB	EL Data Package Assembly 2A1A1A2
AXDAC	EL Encoder 2A1A1A2A1
AXDAC	
AXDAD	EL DC Servo Motor 2A1A1B1
AXDAE AXDA9	NOC
AXDA9 AXDB0	Azimuth Assembly 2A1A3
AXDBO	AZ Manual Drive Assembly
AADBA	2A1A3A1
AXDBB	AZ Data Package Assembly
AADBB	2A1A3A2
AXDBC	AZ Encoder 2A1A3A2A1
AXDBD	AZ Elicodei ZATASAZAT AZ Gearbox 2A1A3A3
AXDBE	AC DC Servo Motor
MADDE	2A1A3B1
AXDBF	AZ Drive Module
AXDB9	NOC.
AXEA0	Linear Polarization W/G Field
11112110	Assembly (L)
AXEAA	RF Circulator 1WG4
AXEAB	Bandpass Filter 1WG6
AXEAC	Directional Coupler 1DC1
AXEAD	Waveguide Switch 1S1
AXEAE	Flexible Waveguide 1WG10
AXEAF	RF Circulator 2A1WG05
AXEAG	Receiver Protector 2A3
AXEAH	Preselect Bandpass Filter
	(EMI) 2A1A3FL1
AXEAJ	Low Noise Amplifier 2A4
AXEAK	Azimuth Rotary Joint 2A1A4
AXEAL	Slip Ring Assembly 2A1A2
AXEAM	210, 461011 110 6411, 0 01111 20
AXEAN	Elevation Rotary Joint Adapter
	2A1WG10
AXEAP	RF Power Monitor 2A5
AXEAQ	Antenna Feed Assembly 2A2
AXEAR	Waveguide Harmonic
	Bandpass Filter 1WG2
(F) Full So (R) Redun	cale Production (L) Limited Production

AA-0017 Change 1

AXE	00 EA0	TOWER AND RADOME - Continued Linear Polarization W/G Field Assembly (L) - Continued
AXE	2 / 2	Assembly (L) - Continued Attenuator 1AT10, 1AT11
AXE		NOC
AXE		Linear Polarization W/G Field
AAI	AU	Assembly (F)
AXF	ΤΔ Δ	RF Circulator 1WG4
AXF		Bandpass Filter 1WG6
AXF		Directional Coupler 1DC1
AXF		Waveguide Switch 1S1
AXF		Flexible Waveguide 1WG10
AXF		RF Circulator 2A1WG05
AXF		Receiver Protector 2A3
AXF		Preselect Bandpass Filter
1		(EMI) 2A1A3FL1
AXF	ΆJ	Low Noise Amplifier 2A4
AXF		Azimuth Rotary Joint 2A1A4
AXF	AL	Slip Ring Assembly 2A1A2
AXF	AM	Elevation Rotary Joint 2A1A5
AXF	AN	Elevation Rotary Joint
		Adapter 2A1WG10
AXF	ΆP	RF Power Monitor 2A5
AXF	ΆQ	Antenna Feed Assembly 2A2
AXF	AR	Waveguide Harmonic
		Bandpass Filter 1WG2
AXF	AS	Attenuator 1AT10, 1AT11
AXF	A9	NOC
AXC	6A6	Linear Polarization W/G Field
		Assembly (R)
AXC	ЗAА	
AXC	ЗAВ	Bandpass Filter 1WG6,
		1WG106
AXC	GAC	Directional Coupler 1DC1, 1DC101
AXC	GAD	Waveguide Switch 1S1, 1S101, 1S2
AXC	iAF.	Flexible Waveguide 1WG10
AXC		Waveguide Switch 2A1S1
AXC		RF Circulator 2A1WG05
(F) Fu		cale Production (L) Limited Production

AA-0018 Change 1

AX000	TOWER AND RADOME - Continued
AXGA0	Linear Polarization W/G Field
	Assembly (R) - Continued
AXGAH	Receiver Protector 2A3, 2A7
AXGAJ	Preselect Bandpass Filter
	(EMI) 2A1A3FL1, 2A1A3FL2
AXGAK	Low Noise Amplifier 2A4,
	2A8
AXGAL	Azimuth Rotary Joint 2A1A4
AXGAM	Slip Ring Assembly 2A1A2
AXGAN	Elevation Rotary Joint 2A1A5
AXGAP	Elevation Rotary Joint
	Adapter 2A1WG10
AXGAQ	RF Power Monitor 2A5, 2A9
AXGAR	Antenna Feed Assembly 2A2
AXGAS	Waveguide Harmonic
	Bandpass Filter 1WG2,
	1WG102
AXGAT	Attenuator 1AT10, 1AT110,
	1AT11, & 1AT111
AXGA9	NOC
AXJ00	Miscellaneous Pedestal Equipment
AXJA0	Electric Space Heater 2HR1,
	2HR2, 2HR3
AXJB0	Telephone & 2-Way Intercom
	System Station 2A14
AXJC0	Junction Box Assembly
AXJC9	NOC
AXJD0	Hoist Crane
AXJ99	NOC
AX099	NOC
BA000	PROCESSOR/COMMUNICATIONS
DAUUU	CABINET ASSEMBLY
BAA00	Processor Assembly UD21
BAAA0	M5/ES Chassis Assembly 21A3
BAAAA	Micro Processor CPU
	Assembly 21A3A4
BAAAB	Temperature Sensor Assembly
	21A3A3
BAAAC	Direct Memory Interface CCA
	21A3A5
(R) Redun	dont
(K) Kedun	uam

	BA000	PROCESSOR/COMMUNICATIONS CABINET ASSEMBLY - Continued
	BAA00	Processor Assembly UD21 -
		Continued
	BAAA0	M5/ES Chassis Assembly 21A3 -
	D D	Continued
	BAAAD	32 Mb CMM Circuit Card
	DAAAE	Assy 21A3A6-A8
	BAAAE	Digital I/O CCA
	BAAAF	21A3A14A1
	BAAAF	Optical Disk Controller CCA 21A3A15, 21A3A17
	BAAAG	16 Mb SELCH Circuit Card
	DAAAU	Assy 21A3A16, 21A3A18
ı	BAAAH	VCI-C Module 21A3A19
	BAAAII	Multiperipheral Controller
	DAAAJ	CCA 21A3A20
	BAAAK	S-Bus Clock Distribution
	Dinini	21A3A21
	BAAAL	DMA Terminator CCA
	2.1.1.12	21A3AT7
l	BAAAM	S-Bus Terminator 21A3AT1
l	BAAAN	I/O Terminator 21A3T4,
		21A3T5, 21A3AT8-AT11
	BAAAP	DMA Terminator 21A3AT6
	BAAAQ	Terminator Board 21A3AT2,
۱		21A3AT3
	BAAB0	VME Assembly 21A4
١	BAABA	ISDN Wideband Controller
١		21A4A1, 21A4A15
١	BAABB	Narrowband Module
		21A4A2-A13
	BAABC	VCI-V Module 21A4A14
	BAABD	VME Chassis Assembly
١	D 4 4 CC	21A4A24
١	BAAC0	SCSI Enclosure Assembly 21A9,
١	DAAGA	21A12
١	BAACA	1/4 Inch Streaming Tape
	BAACB	Drive 21A9A1, 21A12A1 600 Mb Fixed Disc Drive
١	DAACD	21A9A2, 21A12A2
	BAACC	Optical Disk 21A9A3, 21A12A3
1		

AA-0020 Change 1

	BA000	PROCESSOR/COMMUNICATIONS
		CABINET ASSEMBLY - Continued
	BAA00	Processor Assembly UD21
		- Continued
	BAAC0	SCSI Enclosure Assembly 21A9,
		21A12 - Continued
	BAACD	+12, +5V SCSI Power Supply
		21A9PS1, 21A12PS1
	BAAC9	NOC
	BAAE0	Lower Fan Assembly 21A5,
		21A11
	BAAEA	Lower Fan Panel 21A5A1,
		21A11A1
	BAAEB	Fan Sensor Board 21A5A1A1,
		21A11A1A1
	BAAF0	A/C Power Distribution Box 21A7
	BAAF9	NOC
	BAAG0	Convenience Panel 21A8
	BAAH0	LCM Assembly Circuit Card
	DAATTA	Assy 21A13, 21A14
	BAAHA	HDLCM CCA 21A13A1,
	DAATO	21A13A2, 21A14A1 CDS Patch Panel Circuit Card
	BAAJ0	
	BAAK0	Assy 21A15 Cabinet
	BAAL0	Fan Panel Assembly
	BAAL9	NOC
-	BAAM0	Swingout Power Subsystem
	Di ii iivio	21PS1
	BAAMA	211 51
	BAAMB	
	BAAMC	
		21PS1A3
	BAAMD	
	BAAM9	•
	BAAN0	Channel Service Unit 21A17
	BAA99	NOC
	BAB00	RPG Communications Cabinet
		Assembly UD22
	BABA0	Modem Rack Assembly w/Power
		Supply 22A1, 22A2
	BABAA	Type 9600 BPS Modem Card
		22A1A1-A12, 22A2A1-A12

1		
	BA000	PROCESSOR/COMMUNICATIONS
		CABINET ASSEMBLY - Continued
	BAB00	RPG Communications Cabinet
		Assembly UD22 - Continued
	BABA0	Modem Rack Assembly
		w/Power Supply 22A1, 22A2 -
		Continued
	BABAB	Modem Power Supply
		22A1PS1, 22A2PS1
	BABAC	Type 14400 Data Modem
		22A1A4-A21, 22A2A11,
		22A2A21, 22A24A11-A21
	BABAD	Type 33000 Data Modem
		22A1A4-A21, 22A2A11,
		22A2A21, 22A24A11-A21
	BABAE	Type 33000 Data Modem
		w/SDC 22A1A1-A10,
		22A2A1-A10, 22A24A1-
		22A24A10
	BABB0	21 Slot Backplane 4 Rack 22A1,
		22A2, 22A24
	BABBA	Fan Module 22A1B1,
		22A2B1, 22A24B1
	BABBB	Dual Modem 22A1A1-A10,
		22A2A1-A10, 22A24A1-A10
	BABBC	Single Modem 22A1A9-A21,
		22A2A11-A21,
		22A24A11-A21
	BABC0	Channel Service Unit 22A4
	BABD0	Automatic Calling Unit 22A6
	BABDA	Modem 22A6A1, 22A6A2
	BABE0	Statistical Multiplexer 22A7
	BABF0	Converter 22A8
	BABG0	Telephone Patch Panel 22A9,
		22A13
	BABH0	Communication Adapter Panel
		22A10, A15
	BABJ0	Telephone Patch Panel 22A11,
	DADVO	22A17 Pack Mounted Fon Assembly
	BABK0	Rack Mounted Fan Assembly 22A12
	BABL0	Modem Rack w/o Power Supply
	BABM0	Digital Data Line Driver Modem
		22A14

BA000	PROCESSOR/COMMUNICATIONS
BAB00	CABINET ASSEMBLY - Continued RPG Communications Cabinet
DADUU	Assembly UD22 - Continued
BABN0	Communication Adapter
	Panel 22A19
BABP0	Limited Distance Modem
	22A15-A17
BABQ0	Nest Rack w/Power Supply 22A5
BABQA	Limited Distance Modem 22A5A1-A3
BABR0	Power Supply Assembly 22PS1
BABS0	High Speed Modem 22A23
BABT0	Bandpass Filter 22FL1
BAB99	NOC
BD000	UNIT CONTROL POSITION GROUP
BDA00	Printer UD29
BDB00	Printer Station Assembly UD34
BDBA0	Limited Distance Modem 34A1-A3
BDBB0	Power Strip 34J1
BDBC0	Printer A/B Switch 34A5 (RF)
BDBD0	Telco A/B Switch 34A7
BDC00	CDT-100 Monitor UD24
BDD00	Statistical Multiplexer UD26
BDE00	Standalone Data Modem UD27
BDF00	Dual A/B Switch UD33
BD099	NOC
BF000	RPG PROCESSOR/
	COMMUNICATIONS ASSEMBLY (RPGPCA) UD70/170
BFA00	Sun Ultra 5 Processor Assembly 70A1
BFAA0	PCI Card Riser Board 70A1A1A1
BFAAA	Ethernet (TPE) PCI Card
	70A1A2
BFAB0	Floppy Drive 70A1A1A2
BFAC0	CD-Rom Drive 70A1A1A3
BFAD0	9 GB Hard Disk 70A1A1A4
BFB00	Cisco 3640 Router 70A2
BFBA0	Serial Port Module 70A2A1A2
(RF) Redu	undant FAA

BF000 RPG PROCESSOR/ COMMUNICATIONS ASSEMBLY (RPGPCA) UD70/170 - Continued						
BFB00	Cisco 3640 Router 70A2 -					
DIDUU	Continued					
BFBB0	Ethernet Port Module 70A2A1A0,					
	A1					
BFBC0	CSU/DSU Module 70A2A1A0W0					
BFC00	Raritan SMX18 Keyboard/Video/					
	Mouse (KVM) Switch 70A3					
BFD00	Sun 17 Inch Monitor 70A4					
BFE00	Sun Keyboard 70A5					
BFF00	Sun Mouse 70A6					
BFG00	Sun Ultra 10 Processor Assembly 70A7					
BFGA0	PCI Card Riser Board 70A7A1A1					
BFGAA	SCSI Interface PCI Card					
	70A7A2					
BFGAB	Four Port Serial Interface PCI					
DECAG	Card 70A7A3					
BFGAC	Digital Input/Output (DIO) PCI Card 70A7A5					
BFGB0	Floppy Drive 70A7A1A2					
BFGC0	CD-Rom Drive 70A7A1A3					
BFGD0	9 GB Hard Disk 70A7A1A4					
BFH00	Iomega Jaz 2 GB Archive Storage					
	70A8, 70A9					
BFJ00	APC Masterswitch Power					
	Administrator 70A10					
BFK00	APC 1400 Smartups Uninterruptible					
	Power Supply (UPS) 70A11					
BFKA0	APC AP9606 Network Interface					
DEMPA	Card 70A11A2					
BFKB0 BFL00	Battery Assembly 70A11A1BT1 Polycom RDA/RPG Gateway					
DFLUU	Assembly 70A12					
BFM00	Cisco 2924 Lan Switch 70A13					
BFN00	21 Slot Modem Nest 70A14					
BFNA0	Power Supply/Fan Assembly					
	70A14PS1, PS2					
BFNB0	Fan Assembly 70A1A14B1					
BFNC0	Dual Modem 70A14A1-A4					
BFND0	SDC Modem 70A14A5					
BFNE0	Single Modem 70A14A6-A20					

	BF000 RPG PROCESSOR/						
		COMMUNICATIONS ASSEMBLY					
		(RPGPCA) UD70/170 - Continued					
	BFN00	21 Slot Modem Nest 70A14 -					
		Continued					
	BFNF0	MSCF Modem 70A14A21					
	BFP00	PTI Communications Server 70A15,					
		70A16, 70A17					
	BFQ00	Short Haul Modem 70A19					
	BFR00	RS232/RS422 Converter 70A20					
	BFS00	A/C Power Distribution Panel 70A22					
	BFT00	Dial Patch Panel 70A23					
	BFU00	Dial Adapter Panel 70A24					
	BFV00	Dedicated Adapter Panel 70A25					
	BFW00	Dedicated Patch Panel 70A26, 70A27					
	BFX00	Baytech RPC-5 RMS Power					
	DEMOO	Administrator 70A28, 70A29					
	BFY00 BFZ00	28 Vdc Power Supply 70PS1 AC Power Filter 70FL1					
	BF100	Sliding Shelf Assembly					
	BF200	Keyboard/Mouse Tray					
	BF300	AC Power Outlet Strip 70J23					
	BF400	Electrical Equipment Cabinets					
	D1.400	70MP1, MP2					
	BF4A0	EMI Filter (Right Bay) 70MP11					
	BF4AA	Tubaxial Circular Fan 70B1,					
		70B2					
	BF500	Channel Service Unit 70A18					
	BF099	NOC					
	T C 0 0 0	A CONTROL CANDON					
	BG000	MASTER SYSTEM CONTROL					
	DC 400	FUNCTION (MSCF) UD71					
	BGA00	Sun Ultra 5 Processor Assembly 71A1 PCI Card Riser Board 71A1A1A1					
	BGAA0 BGAAA						
	DUAAA	71A1A2					
	BGAAB	SCSI Interface PCI Card					
	DUAAD	71A1A3					
	BGAB0	Floppy Drive 71A1A1A2					
	BGAC0	CD-Rom Drive 71A1A1A3					
	BGAD0	9 GB Hard Disk 71A1A1A4					
	BGB00	Sun 21 Inch Monitor 71A2					
	BGC00	Sun Keyboard 71A3					
BGD00		Sun Mouse 71A4					
	BGE00	Stand-Alone Modem 71A5					
	1						

	BG000 MASTER SYSTEM CONTROL						
		FUNCTION (MSCF) UD71 Jomega Jaz 2 GR Archive Storage					
	BGF00	Iomega Jaz 2 GB Archive Storage 71A6					
	BGG00	MSCF Table 71MP1					
ı	BGH00	Surge Suppressor 71E1					
	BG099	NOC					
	BH000	MASTER SYSTEM CONTROL					
		FUNCTION (MSCF) PRINTER STATION UD79					
I	BHA00	Phaser 750 Laser Color Printer 79A1					
I	BHB00	Printer Stand 79MP1					
ı	BH099	NOC					
ı		1.00					
I	BJ000 REMOTE BASE DATA						
		DISTRIBUTION SERVER (BDDS)					
	BJA00	WORKSTATION UD72, UD73, UD74					
	BJA00 BJAA0	Sun Ultra 5 Processor Assembly 72A1 PCI Card Riser Board 72A1A1A1					
	BJAAA	Ethernet (TPE) PCI Card					
	DJAAA	72A1A2					
	BJAB0	Floppy Drive 72A1A1A2					
	BJAC0	CD-Rom Drive 72A1A1A3					
	BJAD0	9 GB Hard Disk 72A1A1A4					
	BJB00	Sun 17 Inch Monitor 72A2					
	BJC00	Sun Keyboard 72A3					
	BJD00	Sun Mouse 72A4					
	BJE00	BDDS Stand 72MP1					
	BJF00	Cisco 2924 Remote Lan Switch UD73					
	BJG00	Cisco 2621 Remote Router UD74					
	BJ099	NOC					
	CA000	PUP DATA PROCESSOR UD41					
١	CA000 CAA00	Converter Rack 41A1					
l	CAAA0	Converter 41A1A1					
l	CAAB0	Modem Eliminator 41A1A2					
١	CAA99	NOC					
١	CAB00	Modem Rack w/Power Supply 41A2					
١	CABA0	Type 9600 BPS Modem Card					
l		41A2A1-A3 or -A2					
l	CABB0	Modem Power Supply 41A2PS1					
١	CABC0	Modem Rack w/o Power Supply					
	CABD0	Data Modem 41A2A4, A5					
-	A A 000	Change 1					

	CA000 PUP DATA PROCESSOR UD41 - Continued					
	CAB00	Modem Rack w/Power Supply 41A2				
		- Continued				
	CABE0	14K Data Modem (Single)				
		41A2A1-A3				
	CABF0	33K Data Modem w/SDC (Single)				
		41A2A1-A3				
	CABG0	33K Data Modem w/SDC (Dual)				
	G + DIII	41A2A4, 41A2A5				
	CABH0	Fan Module 41A1B1				
	CAB99	NOC				
	CAC00	Communication Adapter Panel 41A6				
	CADDO	Graphic Processor Assembly 41A13				
	CADB0	Refresh Memory PCB 41A13A2, A3, A7-A10				
	CADC0	Video Printed Circuit BD				
	CADCO	41A13A4, A5				
CADD0		Graphics Accelerate PCB				
		41A13A6				
	CADE0	Backplane Printed Circuit Board				
	CIBEO	41A13A11				
	CADF0	Processor Printed Circuit Board				
		41A13A12				
	CADG0	GPIF/DMA Printed Circuit Board				
		41A13A13				
CADH0		Graphics Accelerate PCB				
		41A13A14				
	CADJ0	Front Panel Display PCB				
		41A13A15				
	CADK0	+5V Power Supply 41A13PS1				
	CADL0	-2V, 5.2V Power Supply				
		41A13PS2				
	CADM0	Cursor Printed Circuit Board				
	GA DOO	41A13A1				
	CAD99	NOC				
	CAE40	M5/ES Chassis Assembly 41A16				
	CAEA0	Temperature Sensor Assy 41A16A3				
	CAEB0	Micro 5 Processor Assembly				
	CAEDU	41A16A4				
	CAEC0	Direct Memory Interface CCA				
		41A16A5				
1						

CA000 PUP DATA PROCESSOR UD41 - Continued			
CAE00	M5/ES Chassis Assembly 41A16 -		
	Continued		
CAED0	8 Mb CMM Circuit Card Assy		
	41A16A6		
CAEE0	Optical Disk Controller		
	41A16A17		
CAEF0	16 Mb SELCH CCA 41A16A13,		
	A16, A18		
CAEG0	DIO Circuit Card Assy		
	41A16A14A1		
CAEH0	Graphics Interface CCA		
	41A16A15		
CAEJ0	VCI-C Module 41A16A19		
CAEK0	Multiperipheral Controller CCA		
	41A16A20		
CAEL0	S-Bus Clock Distribution CCA		
~ . =	41A16A21		
CAEM0			
CAEN0	S-Bus Terminator 41A16AT1		
CAEP0	I/O Terminator 41A16AT3,		
CATOO	41A16AT4, 41A16AT7-AT10		
CAEQ0	DMA Terminator 41A16AT5		
CAERO	Terminator Board 41A16AT2 NOC		
CAE99			
CAG00 CAG99	Fan Panel Assembly 41A18 NOC		
CAG99 CAJ00	Swingout Power Supply Subsystem		
CAJOO	41PS1		
CAJA0	AC Power Module Board		
C113110	41PS1A1		
CAJB0	DC Power Supply 41PS1A2		
CAJC0	CDS Control Module 41PS1A3		
CAJD0	Fan Assembly 41PS1A4		
CAJ99	NOC		
CAK00	CDS Patch Panel CCA 41A5		
CAL00	VME Assembly 41A7		
CALA0	VCI-V Module 41A7A1		
CALB0	Narrowband Module 41A7A2, A3		
CALC0	VME Chassis Assembly		
CALD0	Power Supply 41A7PS1		
CAL99	NOC		
CAM00	Telephone Patch Panel 41A3		

	CA000 PUP DATA PROCESSOR UD41 -					
	CANOO Adeptor Penel 41 A4					
	CAN00	Adapter Panel 41A4				
	CAP00	115/230Vac Power Supply 41PS3				
	CAQ00	Convenience Panel 41A21				
	CAR00	AC Power Distribution Panel 41A20				
	CAR99	NOC				
	CAS00	High Speed Modem 41A11				
	CAT00	SCSI Assembly 41A15				
	CATA0	600 Mb Fixed Disk Drive				
		41A15A2				
	CATB0	Optical Disc 41A15A3				
	CATCO	+12, +15V SCSI Power Supply				
		41A15PS1				
	CATC9	NOC				
	CATD0	1/4" Streaming Tape Drive				
		41A15A1				
	CAU00	Circular Frame Tubeaxial Fan				
41B1-B4		41B1-B4				
	CAW00	Telephone Patch Panel 41A25				
	CAX00	Fan Panel Assembly 41A8				
	CAXA0	Fan Pan (Lower) 41A8A1				
	CAXAA	Fan Sensor Board 41A8A1A1				
	CAY00	Nest Rack w/Power Supply 41A27				
	CAYA0	Modem, Limited Distance				
		41A27A1-A3				
	CAZ00	Parallel Line Extender 41A28				
	CAZ99	NOC				
	CA100	Bandpass Filter 41FL1				
	CA200	CDT-100 PUP Systems Console				
		UD42				
	CA099	NOC				
	CD000	PUP WORKSTATION				
	CDA00	CDT-100 Monitor UD43A1				
	CDB00	Control Module Assembly UD44				
	CDBA0	Power Supply 44PS1				
	CDC00	Graphics Display Assembly UD45				
	CDCA0	Color Monitor 45A1, A2				
		Limited Distance Modem				
		45A3-A5				
	CDCC0	Brightness/Contrast Control				
		Board 45A1A1 or 45A2A1				
	CDC99	NOC				
1,00						

CDD00 CDE00 CD099	Color Image Printer UD47 Color Video Monitor UD50 NOC					

AA-0030 Change 1

WORK UNIT CODES WSR-88D SUPPORT EQUIPMENT

SECTION II

INTRODUCTION

This section of the manual contains work unit codes for support equipment (SE) that was specifically designed for, and peculiar to, the WSR-88D Doppler Meteorological Radar. These codes will be used by maintenance personnel when recording maintenance performed directly on the end item, or on components of the support equipment undergoing repair, testing, calibration, or bench check. Maintenance action codes are contained at the front of this manual.

WORK UNIT CODE

DM000 WSR-88D SUPPORT EQUIPMENT

21.2000	,, pr. 005 per 1 0111 = & 011 1111 11
DM100	Modem Loopback Connector
DM200	Waveguide to Coax Adapter
DM300	Auto Call Unit Tester
DM400	Card Extractor
DM499	NOC
DMA00	Klystron Tube & Focus Coil Sling
DMB00	Oil Transfer Pump Kit
DMC00	Service Dolly, Klystron
DMD00	Storage Container, Klystron
DME00	(.5 Ton) Chain Hoist
DMF00	Davit Crane, RDA Tower
DMG00	TBD Elevation Assembly Lifting
	Fixture
DMH00	AGC Test Fixture
DMJ00	TBD Counterweight Support Fixture
DMK00	RF/Tabel Ammeter
DML00	Data Tracker
DMM00	Optical Power Meter
DMN00	HSP/PSP Card Extractor
DMP00	WCCM Loopback Cable
DMQ00	DIO Loopback Cable

DM000	WSR-88D SUPPORT EQUIPMENT -
	Continued
DMR00	Pedestal Oil Drain Hose w/15 Ft.
	Hose
DMS00	Focus Coil Adapter Cable
DMT00	Pwr Resistors/Adapter Cable
DMU00	Power Splitter (4-Way)
DMV00	MPC Loopback Cable
DMW00	LCM Loopback Cable
DMX00	Graphics Tablet Loopback Connector
DMY00	Leased Line Loopback Connector
DMZ00	RS232 to 422 Loopback Cable

		ſ	